AMENDMENT UNDER 37 C.F.R. § 1.116 Attorney Docket No.: Q62082

Appln. No.: 09/774,013

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amended): An image processing method for photoelectrically reading

an image on a film and then performing a blemish elimination processing, comprising the steps

of:

reading a defective image as information related to a defect on the film; to provide

information regarding a defect on a film;

then, reading photoelectrically said image to obtain an actual image;

performing preprocessing for the blemish elimination processing on said defective image

while reading photoelectrically said image; and

performing the blemish elimination processing on a blemish of said actual image, based

on the defective image subjected to said preprocessing,

wherein said preprocessing comprises edge enhancement processing.

2. (currently amended): The image processing method according to claim 1,

wherein said preprocessing is finished up to completion of obtaining said actual image by the

time the actual image is obtained.

-2-

Attorney Docket No.: Q62082

AMENDMENT UNDER 37 C.F.R. § 1.116

Appln. No.: 09/774,013

3. (original): The image processing method according to claim 1,
wherein the image on the film is sequentially read on a plane basis, and
wherein said actual image is obtained and the blemish elimination processing is
performed on the actual image by using said defective image subjected to said preprocessing.

- 4. (original): The image processing method according to claim 1,

 wherein said defective image is evaluated to obtain a evaluated result, and

 wherein said preprocessing and said blemish elimination processing are stopped in

 accordance with said evaluated result.
- 5. (currently amended): The image processing method according to claim 1, wherein said preprocessing is edge enhancement processing of the defective image or comprises production of flag information which imparts indicates the presence or absence of the defect on a pixel unit basis from the defective image.
- 6. (original): The image processing method according to claim 1, wherein said defective image is photoelectrically read by using infrared light.
- 7. (currently amended): An image processing method for photoelectrically reading an image on a film and then performing a blemish elimination processing, comprising the steps of:

reading a defective image as information related to a defect on the filmto provide information regarding a defect on a film;

Attorney Docket No.: Q62082

Appln. No.: 09/774,013

performing preprocessing for the blemish elimination processing on said defective image; and

performing the blemish elimination processing on a blemish of an actual image which is obtained by reading photoelectrically said image, based on the defective image subjected to said preprocessing.

wherein said preprocessing comprises edge enhancement processing.

- 8. (currently amended): The image processing method according to claim 7, wherein said preprocessing is edge enhancement processing of the defective image or comprises production of flag information which imparts indicates the presence or absence of the defect on a pixel unit basis from the defective image.
- 9. (original): The image processing method according to claim 7, wherein said defective image is photoelectrically read by using infrared light.
- 10. (original): The image processing method according to claim 7, wherein said defective image is evaluated to obtain a evaluated result, and wherein said preprocessing and said blemish elimination processing are stopped in accordance with said evaluated result.
- 11. (currently amended): The image processing method according to claim 7, wherein said preprocessing is finished up to completion of obtaining said actual image by the time the actual image is obtained.

Attorney Docket No.: Q62082

AMENDMENT UNDER 37 C.F.R. § 1.116 Appln. No.: 09/774,013

- 12. (previously presented): An image processing method according to claim 1, wherein said actual image is an image without blemishes after performing the blemish elimination processing.
- 13. (previously presented): An image processing method according to claim 7, wherein said actual image is an image without blemishes after performing the blemish elimination processing.
- 14. (currently amended): An image processing method according to claim 51, wherein said edge enhancement comprises enhancing an edge of an image corresponding to a defective portion, emphasizing a boundary of the defective portion, and defining the position of the defect of the defective image.
- 15. (previously presented): An image processing method according to claim 1, wherein the preprocessing is performed during or before the image on the film is fine scanned by visible light.
- 16. (previously presented): An image processing method according to claim 7, wherein the preprocessing is performed during or before the image on the film is fine scanned by visible light.
- 17. (previously presented): An image processing method according to claim 4, wherein said evaluated result is a result on whether image data which is smaller than a given threshold value is present before performing the preprocessing.
- 18. (previously presented): An image processing method according to claim 17, wherein if a value of a defect in the defective image does not meet the threshold value, a blemish

AMENDMENT UNDER 37 C.F.R. § 1.116 Attorney Docket No.: Q62082

Appln. No.: 09/774,013

elimination processing is not needed and the defective image is directly sent to an image processing subsection without being subjected to preprocessing.

19. (currently amended): An image processing method according to claim 51, wherein said edge enhanced image data of the defective image is binary coded.

20. (previously presented): An image processing method according to claim 7, wherein preprocessing for the blemish elimination processing on the defective image is performed before reading photoelectrically the image to obtain an actual image.